


Micro and Macro Level Graph Modeling for Graph Variational Auto-Encoders

Kiarash Zahirnia, Oliver Schulte, Parmis Naddaf, Ke Li

School of Computing Science, Simon Fraser University, Vancouver, Canada

NeurIPS 2022



Graph


- $\mathcal{G} = (\mathbf{V}, \mathbf{E})$ is a pair comprising a finite set of $|\mathbf{V}|=N$ nodes and $|\mathbf{E}|$ edges.
- A graph can be represented by an adjacency matrix \mathbf{A} .

Problem Definition

- Given a set of observed graphs $\mathbf{G} = \{\mathcal{G}_1, \dots, \mathcal{G}_s\}$ sampled from data distribution $p(\mathbf{G})$, the goal of learning generative models for graphs is to learn the distribution of $p_\theta(\mathbf{G})$ which is similar to $p(\mathbf{G})$.
- The focus of this paper is on models for generating “realistic-looking” graphs.



Samples from Protein dataset (real data).




Samples from Grid dataset (synthetic benchmark).

Deep Graph Generative Models (GGMs)

1) All-at-once Models


Generate a graph, adjacency matrix, in one-shot.



VGAE (Kipf et al 2018)
MolGAN (Cao et al 2018)
GraphVAE (Dai et al 2018)

2) Autoregressive Models

Generate a graph sequentially, an edge, node, or block at a time.




GraphRNN (You et al 2018)
GRAN (Liao et al 2019)
BiGG (Dai et al 2020)

- All-at-once models have fast and tractable sampling and relatively stable training.
- Sequential graph generation allows autoregressive models to capture complex dependencies between new edges/nodes and edges/nodes already generated.


Global and Local Graph Properties

- Two levels of information:
 - 1) Local node-level properties
 - 2) Global graph-level properties




- Most deep GGMs are trained with an objective based on local properties.
 - Local properties does not model different edge roles in the graph global structure.


Global and Local Graph Properties (example)



Original Graph




Generated Graph 1



Generated Graph 2

The two right graphs score the same in terms of number of reconstructed edges, however the **Graph 1**, is structurally more similar to the **Original Graph**.

Learning objectives



Approach

- **Micro-macro (MM) Modeling:**
 - A principled probabilistic framework that incorporates both local (Micro) and global (Macro) graph properties.

Approach

- **Micro-macro (MM) Modeling:**

- A principled probabilistic framework that incorporates both local (Micro) and global (Macro) graph properties.
- Assuming a predefined finite set of graph global statistics/properties, calculated by $\varphi_1(), \dots, \varphi_m()$ micro-macro loss is of the form:

$$\mathcal{L}_{\theta}(\mathbf{A}) = \mathcal{L}_{\theta}^0(\mathbf{A}) + \gamma \mathcal{L}_{\theta}^1(F_1, \dots, F_m)$$

- **Advantages:**

- Realism: Compared to objective functions that are based on predicting local properties, matching graph statistics serves as a regularizer that increases the realism of the generated graph structures
- User control: the user only needs to specify the target graph statistics and learning will automatically select graph models that match them.

\mathcal{L}^0 : micro loss.
 \mathcal{L}^1 : macro loss.
 \mathbf{A} : training graph.
 m : number of global properties.
 F_u : random variable defined by $\varphi_u(\hat{\mathbf{A}})$.
 γ : hyperparameter.

Approach

- **Micro-macro (MM) Modeling:**

- A principled probabilistic framework that incorporates both local (Micro) and global (Macro) graph properties.
- Assuming a predefined finite set of graph global statistics/properties, calculated by $\varphi_1(), \dots, \varphi_m()$ micro-macro loss is of the form:

$$\mathcal{L}_{\theta}(\mathbf{A}) = \mathcal{L}_{\theta}^0(\mathbf{A}) + \gamma \mathcal{L}_{\theta}^1(\mathbf{F}_1, \dots, \mathbf{F}_m)$$

\mathcal{L}^0 : micro loss.

\mathcal{L}^1 : macro loss.

\mathbf{A} : a training sample.

m : number of global properties.

\mathbf{F}_u : random variable defined by $\varphi_u(\mathbf{A})$.

γ : hyperparameter.

GraphVAE-MM

- This paper works with negative log-likelihood losses:

$$\mathcal{L}_{\psi}^0(\mathbf{A}) = -\ln p_{\psi}^0(\mathbf{A}) = -\ln \int P(\mathbf{A}|\tilde{\mathbf{A}}_z)p(z)dz$$

$$\mathcal{L}_{\psi,\sigma}^1(\mathbf{F}_1, \dots, \mathbf{F}_m) = -\sum_{u=1}^m \frac{1}{|\mathbf{F}_u|} \ln p_{\psi,\sigma}^1(\mathbf{F}_u)$$

\mathcal{L}^0 : micro loss.

\mathcal{L}^1 : macro loss.

\mathbf{A} : a training sample.

$\tilde{\mathbf{A}}$: underlying probabilistic adjacency matrix.

\mathbf{F}_u : random variable defined by $\varphi_u(\mathbf{A})$.

γ : hyperparameter.

z : graph embedding.

$\tilde{\mathbf{A}}_z$: probabilistic adjacency matrix computed as a function of graph embedding z .

m : number of target statistic.

$|\mathbf{F}_u|$: dimensionality of target statistic \mathbf{F}_u .

GraphVAE-MM

- This paper works with negative log-likelihood losses:

$$\mathcal{L}_{\psi}^0(\mathbf{A}) = -\ln p_{\psi}^0(\mathbf{A}) = -\ln \int P(\mathbf{A}|\tilde{\mathbf{A}}_z)p(z)dz$$

$$\mathcal{L}_{\psi,\sigma}^1(\mathbf{F}_1, \dots, \mathbf{F}_m) = -\sum_{u=1}^m \frac{1}{|\mathbf{F}_u|} \ln p_{\psi,\sigma}^1(\mathbf{F}_u)$$

- By approximating with variational Lower bound we have:

$$\mathcal{L}_{\theta}(\mathbf{A}) \leq E_{z \sim q_{\varphi}(z|\mathbf{A})} \left[-\ln p_{\psi}^0(\mathbf{A}|\tilde{\mathbf{A}}_z) - \sum_{u=1}^m \frac{1}{|\mathbf{F}_u|} \ln p_{\psi,\sigma}^1(\mathbf{F}_u) \right] + (1 + \gamma m)KL(q_{\varphi}(z|\mathbf{A})||p(z))$$

\mathcal{L}^0 : micro loss.

\mathcal{L}^1 : macro loss.

\mathbf{A} : training graph.

$\tilde{\mathbf{A}}$: underlying probabilistic adjacency matrix.

\mathbf{F}_u : random variable defined by $\varphi_u(\mathbf{A})$.

γ : hyperparameter.

z : graph embedding.

$\tilde{\mathbf{A}}_z$: probabilistic adjacency matrix computed as a function of graph embedding z .

m : number of global properties.

$|\mathbf{F}_u|$: dimensionality of target statistic \mathbf{F}_u .


Graph Statistics

- **GraphVAE-MM:** We utilize the micro-macro objective to improve graph generation with a **GraphVAE** (Dai et al 2018) architecture.

Graph Statistics

- **GraphVAE-MM:** We utilize the micro-macro objective to improve graph generation with a **GraphVAE** (Dai et al 2018) architecture.
- In our experiments, we utilize 3 default global graph-level properties:
 - Degree histogram
 - Number of triangles
 - S-Step transition probability for $S=2, \dots, 5$

Qualitative Evaluation



- GraphVAE-MM achieves much better visual match than GraphVAE.

Quantitative Evaluation (GNN-based evaluation metrics Thompson et al 2022)

Method	Triangle Grid		Lobster		Grid		ogbg-molbbbp		Protein	
	MMD RBF	F1 PR	MMD RBF	F1 PR	MMD RBF	F1 PR	MMD RBF	F1 PR	MMD RBF	F1 PR
50/50 split	0.03 ± 0.00	98.58 ± 0.00	0.04 ± 0.00	98.58 ± 0.00	0.009 ± 0.00	98.70 ± 0.00	0.002 ± 0.00	98.07 ± 0.00	0.04 ± 0.00	98.67 ± 1.11
GraphVAE	0.23 ± 0.01	75.92 ± 8.96	0.36 ± 0.11	78.48 ± 24.13	0.17 ± 0.01	75.52 ± 2.53	0.20 ± 0.07	54.53 ± 6.15	0.10 ± 0.05	84.11 ± 9.56
GraphVAE-MM	0.17 ± 0.01	83.58 ± 5.50	0.10 ± 0.00	100.00 ± 0.00	0.13 ± 0.01	97.09 ± 6.33	0.02 ± 0.01	93.78 ± 1.33	0.03 ± 0.01	90.78 ± 3.76
GraphRNN-S (You et al. [47])	0.72 ± 0.17	33.68 ± 19.44	0.98 ± 0.13	58.72 ± 7.55	0.79 ± 0.08	71.18 ± 2.36	0.48 ± 0.02	81.41 ± 0.71	0.28 ± 0.26	72.36 ± 27.63
GraphRNN (You et al. [47])	0.64 ± 0.11	25.80 ± 11.75	0.87 ± 0.04	61.97 ± 0.00	0.99 ± 0.03	13.22 ± 0.05	1.45 ± 0.19	98.94 ± 0.56	0.32 ± 0.14	93.94 ± 0.56
GRAN (Liao et al. [32])	0.88 ± 0.09	23.71 ± 9.72	0.24 ± 0.04	50.53 ± 12.12	0.40 ± 0.00	78.73 ± 0.02	0.39 ± 0.07	94.06 ± 2.60	0.07 ± 0.00	98.05 ± 0.76
BiGG (Dai et al. [41])	0.41 ± 0.13	62.08 ± 0.14	0.12 ± 0.00	99.74 ± 0.76	0.35 ± 0.00	92.43 ± 0.00	0.04 ± 0.00	96.16 ± 0.31	0.15 ± 0.00	98.11 ± 0.62

- **MMD RBF and F1 PR** capture the reality and diversity of generated graphs, respectively.
- **Impact on GraphVAE.** MM modeling provides a large improvement in the realism and diversity of graphs generated by a GraphVAE architecture.
- **GraphVAE-MM vs. Benchmark GGMs.** Micro-macro (MM) modeling greatly improved the GraphVAE, to match or exceed that of benchmark models.

Quantitative Evaluation (statistic-based evaluation metrics O’Bray et al 2022)

(a) Synthetic Graphs



Method	Triangle Grid					Lobster					Grid				
	Deg.	Clus.	Orbit	Spect	Diam.	Deg.	Clus.	Orbit	Spect	Diam.	Deg.	Clus.	Spect	Diam.	
50/50 split	$3e^{-5}$	0.002	$8e^{-5}$	0.004	0.014	0.002	0	0.002	0.005	0.032	$1e^{-5}$	0	$2e^{-5}$	0.004	0.014
GraphVAE	0.0821	0.442	0.421	<u>0.020</u>	<u>0.152</u>	0.081	0.739	0.372	0.056	<u>0.129</u>	0.062	0.055	0.515	0.018	0.143
GraphVAE-MM	0.001	0.093	0.001	0.013	0.133	$2e^{-4}$	0	<u>0.008</u>	<u>0.017</u>	0.187	$5e^{-4}$	0	0.001	<u>0.014</u>	0.065
GraphRNN-S (You et al. [47])	0.053	1.094	0.121	0.033	1.124	0.016	0.319	0.285	0.045	0.242	0.014	0.003	0.090	0.112	<u>0.128</u>
GraphRNN (You et al. [47])	<u>0.033</u>	1.167	0.107	0.030	<u>1.121</u>	0.004	0	0.033	0.035	0.384	0.013	0.166	0.019	0.111	0.460
GRAN (Liao et al. [32])	0.134	0.678	0.673	0.184	1.133	0.005	<u>0.304</u>	0.331	0.043	0.446	0.003	$1e^{-4}$	0.007	0.012	0.281
BiGG (Dai et al. [41])	0.001	<u>0.107</u>	<u>0.004</u>	<u>0.020</u>	1.123	<u>0.001</u>	0	$6e^{-4}$	0.012	0.101	<u>0.002</u>	$3e^{-5}$	<u>0.003</u>	0.018	0.328

(b) Real Graphs

Method	Protein					ogbg-molbbbp				
	Deg.	Clus.	Orbit	Spect	Diam.	Deg.	Clus.	Orbit	Spect	Diam.
50/50 split	$4e^{-5}$	0.004	$5e^{-4}$	$4e^{-4}$	0.003	$2e^{-4}$	$2e^{-5}$	$9e^{-5}$	$5e^{-4}$	0.002
GraphVAE	0.022	0.108	0.577	0.016	<u>0.080</u>	0.028	0.442	0.047	0.015	0.055
GraphVAE-MM	<u>0.006</u>	0.059	<u>0.152</u>	<u>0.007</u>	0.091	0.001	0.005	$8e^{-4}$	0.005	0.018
GraphRNN-S (You et al. [47])	0.046	0.324	0.316	0.028	0.302	0.016	0.572	0.006	0.045	0.199
GraphRNN ((You et al. [47])	0.012	0.123	0.264	0.018	0.342	<u>0.002</u>	$9e^{-4}$	$4e^{-4}$	0.135	0.495
GRAN (Liao et al. [32])	0.003	0.059	0.053	0.004	0.009	0.008	0.353	0.013	0.056	0.317
BiGG (Dai et al. [41])	0.007	<u>0.099</u>	0.316	0.012	0.181	0.003	<u>0.001</u>	$5e^{-5}$	<u>0.007</u>	<u>0.033</u>

- Statistic-based evaluation of micro-macro modeling shows MM modeling improves the reality of graphs generated by GraphVAE, up to 2 orders of magnitude on five benchmark datasets.

Generation and Train Time



- **Generation time.** The autoregressive methods require substantially more generation time.
- **Training time overhead.** The training time is still less than for the autoregressive methods.

Conclusion

- This paper proposes a new multi-level framework that jointly models node-level properties and graph-level properties, as mutually reinforcing sources of information.
- We derive a joint ELBO as a new micro-macro objective function for training graph encoder-decoder models.
- Our experiments show that adding micro-macro modeling to the GraphVAE model improves graph quality scores up to 2 orders of magnitude while maintaining the GraphVAE generation speed advantage.