ConStat: Performance-Based Contamination Detection in Large Language Models

Jasper Dekoninck, Mark Niklas Müller, Martin Vechev






Traditional Data Contamination

$$D_{\mathrm{train}} \cap D_{\mathrm{test}} \neq \emptyset$$

Traditional Data Contamination



Traditional Data Contamination



What are similar, e.g., rephrased, samples?

Contamination is non-generalizing and artificially inflated benchmark performance.

Contamination is non-generalizing and artificially inflated benchmark performance.



Contamination is non-generalizing and artificially inflated benchmark performance.

What is 5 + 5?

5 + 5 is 10.

Contamination is non-generalizing and artificially inflated benchmark performance.

What is 5 + 5?

5 + 5 is 10.

Syntax-Specific

Calculate 5 + 5.

5 + 5 is 9.

Contamination is non-generalizing and artificially inflated benchmark performance.

What is 5 + 5?

5 + 5 is 10.

Sample-Specific

What is 7 + 3?

7 + 3 is 9.

Syntax-Specific

Calculate 5 + 5.

5 + 5 is 9.

Contamination is non-generalizing and artificially inflated benchmark performance.

What is 5 + 5?

5 + 5 is 10.

Syntax-Specific

Calculate 5 + 5.

5 + 5 is 9.

Sample-Specific


What is 7 + 3?


7 + 3 is 9.


Benchmark-Specific


What is 2 * 3?


2 * 3 is 5.












Results: Controlled Experiments



More Results & Large-Scale Contamination Analysis

